


Assay Class: High Sensitivity DNA Assay  
Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
Modified: 6/13/2015 10:50:28 AM

**Electrophoresis File Run Summary**



Instrument Information:

Instrument Name: DE13701086 Firmware: C.01.069  
Serial#: DE13701086 Type: G2938B

Assay Information:



Assay Origin Path: C:\Program Files\Agilent\2100 bioanalyzer\2100 expert\assays\dsDNA\High Sensitivity DNA.xsy  
Assay Class: High Sensitivity DNA Assay  
Version: 1.03  
Assay Comments: Copyright © 2003-2010 Agilent Technologies

Chip Information:

Chip Lot #:  
Reagent Kit Lot #:  
Chip Comments:

MPR42\_3kb gel extraction

MPR42\_5kb gel extraction



Assay Class: High Sensitivity DNA Assay  
 Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
 Modified: 6/13/2015 10:50:28 AM

**Electrophoresis File Run Summary (Chip Summary)**

Sample Name	Sample Comment	Rest. Digest	Status	Observation	Result Label	Result Color
MPR42_3kb gel extraction		<input type="checkbox"/>	✓			
MPR42_5kb gel extraction		<input type="checkbox"/>	✓			
Ladder		<input type="checkbox"/>	✓			
<b>Chip Lot #</b>				<b>Reagent Kit Lot #</b>		

**Chip Comments :**

Assay Class: High Sensitivity DNA Assay  
Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
Modified: 6/13/2015 10:50:28 AM

**Electrophoresis Assay Details**

**General Analysis Settings**

Number of Available Sample and Ladder Wells (Max.) : 12  
Minimum Visible Range [s] : 32  
Maximum Visible Range [s] : 138  
Start Analysis Time Range [s] : 33  
End Analysis Time Range [s] : 137.5  
Ladder Concentration [pg/μl] : 1950  
Uses Standard Area for Ladder Fragments  
Lower Marker Concentration [pg/μl] : 125  
Upper Marker Concentration [pg/μl] : 75  
Used Upper Marker for Quantitation  
Standard Curve Fit is Point to Point  
Show Data Aligned to Lower and Upper Marker

**Integrator Settings**

Integration Start Time [s] : 33.05  
Integration End Time [s] : 137  
Slope Threshold : 0.8  
Height Threshold [FU] : 5  
Area Threshold : 0.1  
Width Threshold [s] : 0.6  
Baseline Plateau [s] : 0.5

**Filter Settings**

Filter Width [s] : 0.5  
Polynomial Order : 4


**Ladder**

Ladder Peak	Size	Area
1	35	160
2	50	210
3	100	208
4	150	221
5	200	242
6	300	270
7	400	305
8	500	306
9	600	336
10	700	321
11	1000	366
12	2000	413
13	3000	411
14	7000	400
15	10380	214

Assay Class: High Sensitivity DNA Assay  
 Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
 Modified: 6/13/2015 10:50:28 AM

**Electropherogram Summary**



**Overall Results for Ladder**

Noise: 0.2

**Peak table for Ladder**


Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations	Aligned Migration Time [s]
1	35	125.00	5,411.3	Lower Marker	43.00
2	50	150.00	4,545.5	Ladder Peak	45.29
3	100	150.00	2,272.7	Ladder Peak	50.84
4	150	150.00	1,515.2	Ladder Peak	55.60
5	200	150.00	1,136.4	Ladder Peak	60.27
6	300	150.00	757.6	Ladder Peak	69.43
7	400	150.00	568.2	Ladder Peak	77.41
8	500	150.00	454.5	Ladder Peak	83.04
9	600	150.00	378.8	Ladder Peak	87.76
10	700	150.00	324.7	Ladder Peak	90.80
11	1,000	150.00	227.3	Ladder Peak	94.72
12	2,000	150.00	113.6	Ladder Peak	100.93
13	3,000	150.00	75.8	Ladder Peak	104.15
14	7,000	150.00	32.5	Ladder Peak	109.30
15	10,380	75.00	10.9	Upper Marker	113.00

Assay Class: High Sensitivity DNA Assay  
 Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
 Modified: 6/13/2015 10:50:28 AM

**Electropherogram Summary Continued ...**

MPR42\_3kb gel extraction



**Overall Results for sample 9 : MPR42\_3kb gel extraction**

Number of peaks found: 1                      Corr. Area 1: 1,292.5  
 Noise: 0.9

**Peak table for sample 9 : MPR42\_3kb gel extraction**

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations	Aligned Migration Time [s]
1	35	125.00	5,411.3	Lower Marker	43.00
2	4,024	944.22	355.5		105.47
3	10,380	75.00	10.9	Upper Marker	113.00

**Region table for sample 9 : MPR42\_3kb gel extraction**


From [bp]	Average Size [bp]	To [bp]	Corr. Area	Molarity [pmol/l]	Co % of Ior Total	Size distribution in CV [%]	Conc. [pg/μl]
1,988	4,507	9,679	1,292.5	339.2	95	33.3	945.50

Assay Class: High Sensitivity DNA Assay  
 Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
 Modified: 6/13/2015 10:50:28 AM

**Electropherogram Summary Continued ...**

MPR42\_5kb gel extraction



**Overall Results for sample 11 : MPR42\_5kb gel extraction**

Number of peaks found: 3                      Corr. Area 1: 663.7  
 Noise: 0.2

**Peak table for sample 11 : MPR42\_5kb gel extraction**

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations	Aligned Migration Time [s]
1	35	125.00	5,411.3	Lower Marker	43.00
2	99	4.62	70.3		50.78
3	6,814	280.33	62.3		109.06
4	10,380	75.00	10.9	Upper Marker	113.00
5	12,795	0.00	0.0		115.64

**Region table for sample 11 : MPR42\_5kb gel extraction**

From [bp]	Average Size [bp]	To [bp]	Corr. Area	Molarity [pmol/l]	Co % of lor Total	Size distribution in CV [%]	Conc. [pg/μl]
3,831	7,132	9,174	663.7	60.7	92	12.5	282.32

Assay Class: High Sensitivity DNA Assay  
Data Path: C:\...\2015-06-10\2015-06-10\_003\_MPR42\_GelExtractions\_3kb\_5kb.xad

Created: 6/10/2015 12:42:57 PM  
Modified: 6/13/2015 10:50:28 AM

**Gel Image**

