

Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electrophoresis File Run Summary**

Chip Information:

Instrument Name: DE34903152                      Firmware: C.01.069  
Serial#: DE34903152                                Type: G2938C

Assay Information:

Assay Origin Path: C:\Program Files\Agilent\2100 bioanalyzer\2100 expert\assays\dsDNA\High Sensitivity DNA.xsy  
Assay Class: High Sensitivity DNA Assay  
Version: 1.03  
Assay Comments: Copyright © 2003-2010 Agilent Technologies

Chip Information:

**sample 1**

**sample 2**

**sample 3**

**sample 4**

**sample 5**

**sample 6**

**sample 7**

Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electrophoresis File Run Summary (Chip Summary)**

**Chip Comments :**

Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary**

Ladder



Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 1




Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 2



Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 3




Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 4



Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 5





Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 6



Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Electropherogram Summary Continued ...**

sample 7



Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Gel Image**

Assay Class: High Sensitivity DNA Assay  
Data Path: C:\... bioanalyzer\2100 expert\data\2018-03-15\2018-03-15\_001.xad

Created: 3/15/2018 9:44:20 AM  
Modified: 3/15/2018 10:14:16 AM

**Invalid Samples**

Sample 8 has not been run, no results available.

Sample 9 has not been run, no results available.

Sample 10 has not been run, no results available.

Sample 11 has not been run, no results available.