


Assay Class: High Sensitivity DNA Assay
Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
Modified: 7/31/2012 2:22:47 PM

Electrophoresis File Run Summary



Instrument Information:

Instrument Name: DE13701086 Firmware: C.01.069
Serial#: DE13701086 Type: G2938B

Assay Information:

Assay Origin Path: C:\Program Files\Agilent\2100 bioanalyzer\2100 expert\assays\dsDNA\High Sensitivity DNA.xsy
Assay Class: High Sensitivity DNA Assay
Version: 1.03
Assay Comments: Copyright © 2003-2010 Agilent Technologies




Chip Information:

Chip Lot #:
Reagent Kit Lot #:
Chip Comments:

M104-1-Endo-1

M104-1-Endo-2




Nip-EP-2-1mm-1



Nip-EP-2-1mm-2

Nip-EP-2-BF-1




Nip-EP-2-BF-2



Nip-EP-2-Endo-1



Nip-EP-2-Endo-2

Nip-LP-2-1mm-1



Nip-LP-2-1mm-1

Nip-LP-2-BF-1



Assay Class: High Sensitivity DNA Assay
Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
Modified: 7/31/2012 2:22:47 PM

Electrophoresis File Run Summary (Chip Summary)

Sample Name	Sample Comment	Rest. Digest	Status	Observation	Result Label	Result Color
M104-1-Endo-1		<input type="checkbox"/>	✓			
M104-1-Endo-2		<input type="checkbox"/>	✓			
Nip-EP-2-1mm-1		<input type="checkbox"/>	✓			
Nip-EP-2-1mm-2		<input type="checkbox"/>	✓			
Nip-EP-2-BF-1		<input type="checkbox"/>	✓			
Nip-EP-2-BF-2		<input type="checkbox"/>	✓			
Nip-EP-2-Endo-1		<input type="checkbox"/>	✓			
Nip-EP-2-Endo-2		<input type="checkbox"/>	✓			
Nip-LP-2-1mm-1		<input type="checkbox"/>	✓			
Nip-LP-2-1mm-1		<input type="checkbox"/>	✓			
Nip-LP-2-BF-1		<input type="checkbox"/>	✓			
Ladder		<input type="checkbox"/>	✓			

Chip Lot #

Reagent Kit Lot #

Chip Comments :

Assay Class: High Sensitivity DNA Assay
Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
Modified: 7/31/2012 2:22:47 PM

Electrophoresis Assay Details

General Analysis Settings

Number of Available Sample and Ladder Wells (Max.) : 12
Minimum Visible Range [s] : 32
Maximum Visible Range [s] : 138
Start Analysis Time Range [s] : 33
End Analysis Time Range [s] : 137.5
Ladder Concentration [pg/μl] : 1950
Uses Standard Area for Ladder Fragments
Lower Marker Concentration [pg/μl] : 125
Upper Marker Concentration [pg/μl] : 75
Used Upper Marker for Quantitation
Standard Curve Fit is Point to Point
Show Data Aligned to Lower and Upper Marker

Integrator Settings

Integration Start Time [s] : 33.05
Integration End Time [s] : 137
Slope Threshold : 0.8
Height Threshold [FU] : 5
Area Threshold : 0.1
Width Threshold [s] : 0.6
Baseline Plateau [s] : 0.5

Filter Settings

Filter Width [s] : 0.5
Polynomial Order : 4


Ladder

Ladder Peak	Size	Area
1	35	160
2	50	210
3	100	208
4	150	221
5	200	242
6	300	270
7	400	305
8	500	306
9	600	336
10	700	321
11	1000	366
12	2000	413
13	3000	411
14	7000	400
15	10380	214

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary



Overall Results for Ladder

Noise: 0.1


Peak table for Ladder

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	50	150.00	4,545.5	Ladder Peak
3	100	150.00	2,272.7	Ladder Peak
4	150	150.00	1,515.2	Ladder Peak
5	200	150.00	1,136.4	Ladder Peak
6	300	150.00	757.6	Ladder Peak
7	400	150.00	568.2	Ladder Peak
8	500	150.00	454.5	Ladder Peak
9	600	150.00	378.8	Ladder Peak
10	700	150.00	324.7	Ladder Peak
11	1,000	150.00	227.3	Ladder Peak
12	2,000	150.00	113.6	Ladder Peak
13	3,000	150.00	75.8	Ladder Peak
14	7,000	150.00	32.5	Ladder Peak
15	10,380	75.00	10.9	Upper Marker

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 1 : M104-1-Endo-1

Number of peaks found: 6 Corr. Area 1: 181.5
 Noise: 0.1

Peak table for sample 1 : M104-1-Endo-1

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	40	47.52	1,810.4	
3	47	92.92	2,973.3	
4	53	88.62	2,514.2	
5	72	62.71	1,317.7	
6	393	12.05	46.5	
7	434	132.33	462.1	
8	10,380	75.00	10.9	Upper Marker


Region table for sample 1 : M104-1-Endo-1

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	436	613.6	175.62	181.5	41	8.3	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 2 : M104-1-Endo-2

Number of peaks found: 6 Corr. Area 1: 620.3
 Noise: 0.2

Peak table for sample 2 : M104-1-Endo-2

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	26	0.00	0.0	
2	35	125.00	5,411.3	Lower Marker
3	48	92.88	2,935.7	
4	62	49.39	1,211.9	
5	397	35.17	134.3	
6	434	398.33	1,389.3	
7	10,380	75.00	10.9	Upper Marker
8	12,993	0.00	0.0	


Region table for sample 2 : M104-1-Endo-2

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	449	1,796.2	522.91	620.3	77	15.4	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 3 : Nip-EP-2-1mm-1

Number of peaks found: 7 Corr. Area 1: 145.1
 Noise: 0.2

Peak table for sample 3 : Nip-EP-2-1mm-1

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	28	0.00	0.0	
2	31	0.00	0.0	
3	35	125.00	5,411.3	Lower Marker
4	46	65.53	2,138.9	
5	56	58.04	1,566.6	
6	81	57.45	1,079.7	
7	398	9.93	37.8	
8	434	108.02	377.5	
9	10,380	75.00	10.9	Upper Marker


Region table for sample 3 : Nip-EP-2-1mm-1

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	433	465.8	132.86	145.1	37	5.7	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 4 : Nip-EP-2-1mm-2

Number of peaks found: 6 Corr. Area 1: 65.3
 Noise: 0.3

Peak table for sample 4 : Nip-EP-2-1mm-2

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	29	0.00	0.0	
2	35	125.00	5,411.3	Lower Marker
3	45	174.40	5,851.9	
4	82	34.83	646.4	
5	397	10.01	38.2	
6	434	46.98	164.0	
7	10,380	75.00	10.9	Upper Marker
8	12,832	0.00	0.0	


Region table for sample 4 : Nip-EP-2-1mm-2

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	433	210.1	59.62	65.3	24	7.5	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 5 : Nip-EP-2-BF-1

Number of peaks found: 5 Corr. Area 1: 29.6
 Noise: 0.1

Peak table for sample 5 : Nip-EP-2-BF-1

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	28	0.00	0.0	
2	35	125.00	5,411.3	Lower Marker
3	47	115.71	3,694.7	
4	79	46.19	884.9	
5	433	18.57	65.0	
6	10,380	75.00	10.9	Upper Marker
7	12,250	0.00	0.0	


Region table for sample 5 : Nip-EP-2-BF-1

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	429	90.4	25.33	29.6	13	8.1	■

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 6 : Nip-EP-2-BF-2

Number of peaks found: 9 Corr. Area 1: 317.2
 Noise: 0.1

Peak table for sample 6 : Nip-EP-2-BF-2

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	28	0.00	0.0	
2	32	0.00	0.0	
3	35	125.00	5,411.3	Lower Marker
4	44	237.24	8,191.0	
5	65	107.17	2,490.1	
6	132	10.45	120.2	
7	397	67.04	255.7	
8	433	217.38	761.0	
9	540	12.44	34.9	
10	10,380	75.00	10.9	Upper Marker
11	13,793	0.00	0.0	


Region table for sample 6 : Nip-EP-2-BF-2

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	434	1,088.5	309.38	317.2	50	9.9	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 7 : Nip-EP-2-Endo-1

Number of peaks found: 8 Corr. Area 1: 381.0
 Noise: 0.2

Peak table for sample 7 : Nip-EP-2-Endo-1

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	46	215.51	7,078.0	
3	74	39.84	812.2	
4	79	41.14	787.7	
5	132	12.46	143.2	
6	396	50.97	195.1	
7	431	296.01	1,039.9	
8	547	12.30	34.1	
9	10,380	75.00	10.9	Upper Marker
10	12,375	0.00	0.0	


Region table for sample 7 : Nip-EP-2-Endo-1

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	442	1,314.7	378.60	381.0	61	12.0	Blue

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 8 : Nip-EP-2-Endo-2

Number of peaks found: 7 Corr. Area 1: 654.5
 Noise: 0.2

Peak table for sample 8 : Nip-EP-2-Endo-2

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	31	0.00	0.0	
2	35	125.00	5,411.3	Lower Marker
3	41	136.57	5,018.0	
4	49	180.62	5,617.1	
5	80	70.51	1,335.4	
6	398	119.43	455.1	
7	433	451.44	1,579.1	
8	536	31.91	90.2	
9	10,380	75.00	10.9	Upper Marker


Region table for sample 8 : Nip-EP-2-Endo-2

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	442	2,171.6	623.83	654.5	62	13.2	■

Assay Class: High Sensitivity DNA Assay
 Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
 Modified: 7/31/2012 2:22:47 PM

Electropherogram Summary Continued ...



Overall Results for sample 9 : Nip-LP-2-1mm-1

Number of peaks found: 6 Corr. Area 1: 63.5
 Noise: 0.2

Peak table for sample 9 : Nip-LP-2-1mm-1

Peak	Size [bp]	Conc. [pg/μl]	Molarity [pmol/l]	Observations
1	35	125.00	5,411.3	Lower Marker
2	48	272.90	8,584.2	
3	56	69.16	1,876.4	
4	72	43.09	903.2	
5	83	14.44	263.8	
6	391	9.54	36.9	
7	429	47.77	168.7	
8	10,380	75.00	10.9	Upper Marker

Region table for sample 9 : Nip-LP-2-1mm-1

From [bp]	To [bp]	Average Size [bp]	Molarity [pmol/l]	Conc. [pg/μl]	Corr. Area	% of Total	Size distribution in CV [%]	Color
200	1,000	427	229.2	64.35	63.5	16	6.3	Blue

Assay Class: High Sensitivity DNA Assay
Data Path: C:\...ents and Settings\Bioanalyzer\2012-07-31\2012-07-31_002.xad

Created: 7/31/2012 1:41:18 PM
Modified: 7/31/2012 2:22:47 PM

Gel Image

